chemical properties of, 388–92
conversion to solids, 401–12
disposal as liquids in deep wells, 398
disposal as solids in the ocean depths, 397–98
disposal as solids in salt mines, 394–95
disposal by transmutation, 399–40
disposal into outer space, 400
economics of solidification and disposal of, 412
fission-product content of, 390–91
fluidized-bed solidification, 407–8
heat-generation rate of, 391
phosphate-glass solidification, 407
physical properties of, 391–92
pot calcination, 403–5
production of, estimated growth through year 2000, 388
solidification and disposal in the U. S., 387–412
spray solidification, 405–7
storage as liquids in deep underground caverns, 398
storage as liquids in tanks, 398–99
storage as solids in deep underground caverns, 395
storage as solids in man-made vaults, 395–97
storage in tanks, experience with, 392–94
transportation of, 400–1
Reactor containment systems
Prairie Island, electrical penetrations for, 104–8
San Onofre Unit 1, electrical penetrations for, 97–104
Reactor fuels
development for fast breeder reactors, 54–57
European development for fast breeder reactors, 4–5
reprocessing from fast breeder reactors, European program for, 6
Reactor pipes
for LMFBR, review of proposed guide for, 321–39
Reactor pressure vessels
review of conference on use of prestressed concrete for, 109–20
Reactors
irradiation testing technology, summary of symposium on, 355–61
physics calculations, status of, 368–80
physics calculations, variational techniques for, 73–93
Reactors (Arkansas Nuclear 1)
capital cost data, 16
Reactors (Beaver Valley 1)
capital cost data, 16
Reactors (BN-350)
development, 30–31
emergency core-cooling system, 291–93
Reactors (boiling water)
intergranular corrosion cracking of 304 stainless steel in, 310
Reactors (BOR)
development, 32
emergency core-cooling system, 293–94
Reactors (BR-1)
design parameters, 19
Reactors (BR-2)
design parameters, 19
Reactors (BR-5)
design parameters, 19
Reactors (Browns Ferry 1)
capital cost data, 16
Reactors (Browns Ferry 2)
capital cost data, 16
Reactors (Browns Ferry 3)
capital cost data, 16
Reactors (Brunswick 1)
capital cost data, 16
Reactors (Brunswick 2)
capital cost data, 16
Reactors (Calvert Cliffs 1)
capital cost data, 16
Reactors (Calvert Cliffs 2)
capital cost data, 16
Reactors (Clementine)
design parameters, 19
Reactors (Connecticut Yankee)
xenon-induced power oscillations in, 259–62
Reactors (Cooper 1)
capital cost data, 16
Reactors (Davis–Besse)
capital cost data, 16
Reactors (DFR)
design parameters, 19
emergency core-cooling system, 299–301
Reactors (Diablo Canyon 1)
capital cost data, 16
Reactors (Diablo Canyon 2)
capital cost data, 16
Reactors (Donald C. Cook 1)
capital cost data, 16
Reactors (Donald C. Cook 2)
capital cost data, 16
Reactors (Dresden 1)
intergranular corrosion cracking of 304 stainless steel in, 311
xenon-induced power oscillations in, 262
Reactors (EBR-I)
design parameters, 19
Reactors (EBR-II)
changes in core loading, 222
core kinetic and neutronic parameters for Runs 25 through 35, 170–84
design parameters, 19
emergency core-cooling system, 304–8
failure of turbine-driven feedwater pump during Run 39A, 222
fuel-handling system, 42–44
operation, current status of, 222
operating experience for July–December, 1969, 186–89
physics aspects of Runs 35 to 40, 214–21
primary cooling system, 38, 41
shutdown cooling system, 41
small fire in the inlet piping of the surge tank, 222
unscheduled scrams, 222
Reactors (EFFBR)
design parameters, 19
Reactors (Elk River)
intergranular corrosion cracking of 304 stainless steel in, 311
Reactors (Enrico Fermi 2)
capital cost data, 16
Reactors (FARET)
emergency core-cooling system, 294–98
Reactors (fast breeder)
(see also specific fast breeder reactors)
coolants for, 29–30, 58–70
development, 18–33
development program in Europe, 1–6
fuel considerations for, 4–5, 54–57
fuel elements for, 22–27
fuel reprocessing, European program for, 6
physics of, 20–22
safety of, 27–29
sodium components for, 29–30
use of gas as coolant for, 29–30, 69
use of gas-turbine power cycles in, 12–13
use of Na as coolant for, 29–30, 59–65
use of steam as coolant for, 65–68
Reactors (Fermi 1)
cross section, schematic diagram of, 192–93
emergency core-cooling system, 287–91
integral physics parameters of, 198–212
neutronics characteristics of, 193–99
operating experience for May–September, 1969, 189–90
physics aspects of, 191–212
restart operations, current status of, 222–23
Reactors (FFTF)
development, 32
Reactors (gas-cooled)
use of gas-turbine power cycle in, 7–13
Reactors (gas-core)
applications of, 226–33
concepts of, 226–33
dynamics, stability, and control of, 245–47
economics and specific impulse of, 226
experiments with, 233–38
fluid mechanics of, 242–44
heat-transfer data for, 338–42
nuclear analysis of, 233–38
technology review of, 226–48
Reactors (gas-turbine)
development, 7–13
Reactors (GCFR)
fuel-handling systems, 40, 42–47, 49–50
maintenance, 46, 48, 50
shutdown cooling systems, 37–41
steam-generator components, 50–52
Reactors (Gundremmingen)
xenon-induced power oscillations in, 262
Reactors (Indian Point 4)
capital cost data, 16
Reactors (Indian Point 5)
capital cost data, 16
Reactors (Joseph M. Farley 1)
capital cost data, 16
Reactors (KNK-11)
development, 32
Reactors (KSH)
design and operation, 8–12
Reactors (La Crosse)
intergranular corrosion cracking of 304 stainless steel in, 311
Reactors (LMFBR)
emergency core-cooling systems for, 280–308
fuel handling systems, 40, 42–47, 49–50
maintenance, 46, 48, 50
shutdown cooling systems, 37–41
sodium piping for, review of proposed guide for, 321–39
steam-generator components, 50–52
Reactors (Main Yankee 1)
capital cost data, 16
Reactors (Millstone Point 2)
capital cost data, 16
Reactors (ML-1)
design and operation, 8
Reactors (Nine Mile Point)
intergranular corrosion cracking of 304 stainless steel in, 311–12
xenon-induced power oscillations in, 262
Reactors (North Anna 1)
capital cost data, 16
Reactors (Oconee 1)
capital cost data, 16
Reactors (Oconee 2)
capital cost data, 16
Reactors (Oconee 3)
capital cost data, 16
Reactors (Oyster Creek)
xenon-induced power oscillations in, 262

Reactors (Peach Bottom 1)
comparison with KSH, 10
Reactors (Peach Bottom 2)
capital cost data, 16
Reactors (Peach Bottom 3)
capital cost data, 16
Reactors (PEC)
development, 32
Reactors (PFR)
development, 1–6, 30–31
Reactors (PHENIX)
development, 1–6, 31
Reactors (power)
capital costs of, future outlook for, 14–17
efficiency, effect of outlet coolant temperature on, 147–48
physics calculations, status of, 368–80
xenon-induced spatial power oscillations in, 252–77
Reactors (Prairie Island)
electrical penetration of containment vessel for, 104–8
Reactors (pressurized water)
intergranular corrosion cracking of 304 stainless steel in, 312
Reactors (propulsion)
(see Nuclear rockets)
Reactors (Rancho Seco 1)
capital cost data, 16
Reactors (RAPSODIE)
design parameters, 19
emergency core-cooling system, 301–4
integral physics parameters of, 346–54
neutronics characteristics of, 340–46
physics aspects of, 340–54
Reactors (Salem 1)
capital cost data, 16
Reactors (Salem 2)
capital cost data, 16
Reactors (San Onofre 1)
electrical penetrations of containment vessel for, 97–104
Reactors (Savannah River)
xenon-induced power oscillations in, 262–64
Reactors (Seabrook 1)
capital cost data, 16
Reactors (SEFOR)
development, 32
emergency core-cooling system, 282–87
Reactors (Sequoyah 1)
capital cost data, 16
Reactors (Sequoyah 2)
capital cost data, 16
Reactors (Shippingport 1)
xenon-induced power oscillations in, 257–59
Reactors (Shoreham 1)
capital cost data, 16
Reactors (SNR)
development, 1–6, 31
Reactors (Surry 1)
capital cost data, 16
Reactors (Surry 2)
capital cost data, 16
Reactors (Three Mile Island 1)
capital cost data, 16
Reactors (Trojan 1)
capital cost data, 16
Reactors (Tsuruga)
xenon-induced power oscillations in, 262
Reactors (water-cooled)
intergranular corrosion cracking of 304 stainless steel in, 310–18
xenon-induced spatial power oscillations in, 252–77
Reactors (Zion 1)
capital cost data, 16
Reactors (Zion 2)
capital cost data, 16
Rockets
(see Nuclear rockets)

S

Silver
solubility in liquid Na, 138–39, 144
Sodium (liquid)
pipes for review of proposed guide for LMFBR, 321–39
solubility of metallic elements in, 124–45
use as cooling medium in fast breeder reactors, 59–65
Stainless steel (304)
intergranular corrosion cracking, mechanisms of, 315–18
intergranular corrosion cracking in nitric-dichromate solution, 312–13
intergranular corrosion cracking in H_2O containing fluoride ions, 313
intergranular corrosion cracking in H_2O containing 100 ppm $FeCl_3$, 313
intergranular corrosion cracking in H_2O containing 100 ppm O_2, 314
intergranular corrosion cracking in water-cooled reactors, 310–12
Stainless steel (304H)
evaluation for LMFBR piping, 323–34
Stainless steel (304L)
evaluation for LMFBR piping, 323–34
intergranular corrosion cracking, mechanisms of, 315–18
Stainless steel (316H)
evaluation for LMFBR piping, 323–34
Stainless steel (316L)
evaluation for LMFBR piping, 323–34
Steam
use as coolant in fast breeder reactors, 29–30, 65–68
Steel (Cr–Mo)
evaluation for LMFBR piping, 323–34
Symposia
on irradiation technology, summary of papers presented at, 355–61

T

Tantalum
solubility in liquid Na, 133–34
Thermonuclear reactors
conference on, 354
Tin
solubility in liquid Na, 139–40, 144
Titanium alloys
metallurgy of, use as a guide for zirconium alloy development, 160–64
Transport theory
(see Neutron transport)
Turbines (gas)
use in gas-cooled reactor power cycles, 7–13

U

United Kingdom
fast breeder reactor program, 1–6

W

Wastes
(see Radioactive wastes)
Water
use as cooling medium in fast breeder reactors, 65–68
West Germany
(see Federal Republic of Germany)

Z

Zinc
solubility in liquid Na, 138–39, 144
Zirconium
solubility in liquid Na, 135, 137
Zirconium alloys
development for high-temperature applications, 147–66